

Korasana d.b.a. ZPX, LLC FL  
 Order No.: OFLKSA0415-0013365  
 7980 SW 167th  
 Florida, 33157  
 mark@zeropointextraction.com  
 6172566487

Sample: SFLKSA0415-ITIN-0004889  
 Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units  
 Batch#: MC51404  
**MMTC Information**  
 Cultivation Facility: , Processing Facility:

ManaCann 1000mg CBD: 2000MG D8 Tincture  
 Ingestible, Tincture



## Results

<b>2,090 mg/unit</b> D8-THC	<b>1,070 mg/unit</b> CBD
<b>1,070 mg/unit</b> Total CBD	<b>38.2 mg/unit</b> Total THC
<b>3,330 mg/unit</b> Total Cannabinoids	

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Not Tested
<b>Water Activity</b> Not Tested	<b>Foreign Matter</b> Not Tested	<b>Homogeneity</b> Not Tested
<b>Terpenes</b> Not Tested	<b>Contaminant Load</b> Not Tested	<b>Residual Solvents</b> Not Tested
<b>Mycotoxins</b> Not Tested	<b>Heavy Metals</b> Pass	<b>Pesticides</b> Pass
<b>Kratom</b> Not Tested	<b>Label Claim</b> Not Tested	



**K'hari Leno**  
 Sr. Lab Supervisor



# Certificate of Analysis

R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

Korasana d.b.a. ZPX, LLC FL  
Order No.: OFLKSA0415-0013365  
7980 SW 167th  
Florida, 33157  
mark@zeropointextraction.com  
6172566487

Sample: SFLKSA0415-ITIN-0004889  
Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units  
Batch#: MC51404  
MMTC Information  
Cultivation Facility: , Processing Facility:

ManaCann 1000mg CBD: 2000MG D8 Tincture  
Ingestible, Tincture



## Cannabinoids

Tested

### Sample Prep

Tech: 3358, 4509  
SOP: SOP 801  
Batch Number: WCNDFL-FL0411-0006226  
Batch Date: 04/11/2026 13:48

### Sample Analysis

Date/Time: 04/16/2026 12:59  
Tech: 4509  
SOP: SOP 801  
Instrument: HPLC - 3013  
Final Weight: 1.015 g  
Dilution Factor for Sample: 1,040

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.01025	0.51226	ND	ND	ND
CBDa	0.07786	0.51226	ND	ND	ND
CBGa	0.03852	0.51226	ND	ND	ND
CBG	0.08381	0.51226	<b>0.308</b>	<b>3.08</b>	<b>87.3</b>
CBD	0.14241	0.51226	<b>3.78</b>	<b>37.8</b>	<b>1,070</b>
THCV	0.03319	0.51226	ND	ND	ND
THCVa	0.02766	0.51226	ND	ND	ND
CBN	0.01506	0.51226	<b>0.157</b>	<b>1.57</b>	<b>44.7</b>
D9-THC	0.07418	0.51226	<b>0.135</b>	<b>1.35</b>	<b>38.2</b>
D8-THC	0.08616	0.51226	<b>7.36</b>	<b>73.6</b>	<b>2,090</b>
CBC	0.05543	0.51226	< LOQ	< LOQ	< LOQ
THCa	0.08463	0.51226	ND	ND	ND
CBCa	0.14046	0.51226	ND	ND	ND
Total CBD			<b>3.78</b>	<b>37.8</b>	<b>1,070</b>
Total THC			<b>0.135</b>	<b>1.35</b>	<b>38.2</b>
Total Cannabinoids			<b>11.7</b>	<b>117</b>	<b>3,330</b>



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

Korasana d.b.a. ZPX, LLC FL  
Order No.: OFLKSA0415-0013365  
7980 SW 167th  
Florida, 33157  
mark@zeropointextraction.com  
6172566487

Sample: SFLKSA0415-ITIN-0004889  
Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units  
Batch#: MC51404  
MMTC Information  
Cultivation Facility: , Processing Facility:

ManaCann 1000mg CBD: 2000MG D8 Tincture  
Ingestible, Tincture



## Heavy Metals

Pass

### Sample Prep

Tech: 4509  
SOP: SOP 428-FL  
Batch Number: WMTLFL-FL0414-0004531  
Batch Date: 04/14/2026 10:49

### Sample Analysis

Date/Time: 04/16/2026 12:52  
Tech: 4509  
SOP: SOP 428-FL  
Instrument: ICP-MS - 2837  
Final Weight: 0.224 g  
Dilution Factor for Sample: 50

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	< LOQ	Passed
Cadmium	20.100	100.000	500.000	ND	Passed
Mercury	20.100	100.000	3,000.000	ND	Passed
Lead	20.100	250.000	500.000	< LOQ	Passed



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

Korasana d.b.a. ZPX, LLC FL  
Order No.: OFLKSA0415-0013365  
7980 SW 167th  
Florida, 33157  
mark@zeropointextraction.com  
6172566487

Sample: SFLKSA0415-ITIN-0004889  
Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units  
Batch#: MC51404  
MMTC Information  
Cultivation Facility: , Processing Facility:

ManaCann 1000mg CBD: 2000MG D8 Tincture  
Ingestible, Tincture



Pass

## Pesticides

### Sample Prep

Tech: 3358  
SOP: SOP 424-FL  
Batch Number: WPMCFL-FL0416-0004324  
Batch Date: 04/16/2026 14:21

### Sample Analysis

Date/Time: 04/17/2026 19:30  
Tech: 4509  
SOP: SOP 424-FL  
Instrument: LC-MS/MS - 2894 / GC-MS/MS - 3005  
Final Weight: 0.627 g  
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.021	0.300	ND	Passed
Acephate	0.010	0.024	3.000	ND	Passed
Acequinocyl	0.010	0.024	2.000	ND	Passed
Acetamiprid	0.002	0.010	3.000	ND	Passed
Aldicarb	0.005	0.019	0.100	ND	Passed
Azoxystrobin	0.002	0.010	3.000	ND	Passed
Bifenazate	0.002	0.010	3.000	ND	Passed
Bifenthrin	0.002	0.024	0.500	ND	Passed
Boscalid	0.010	0.048	3.000	ND	Passed
Carbaryl	0.005	0.010	0.500	ND	Passed
Carbofuran	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	0.010	0.024	0.100	ND	Passed
Clofentezine	0.010	0.024	0.500	ND	Passed
Coumaphos	0.010	0.050	0.100	ND	Passed
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.024	0.100	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.024	0.100	ND	Passed
Dimethoate	0.002	0.010	0.100	ND	Passed
Dimethomorph	0.003	0.010	3.000	ND	Passed
Ethoprophos	0.002	0.010	0.100	ND	Passed
Etofenprox	0.002	0.010	0.100	ND	Passed
Etoxazole	0.002	0.010	1.500	ND	Passed
Fenhexamid	0.010	0.048	3.000	ND	Passed
Fenoxycarb	0.002	0.010	0.100	ND	Passed
Fenpyroximate	0.005	0.019	2.000	ND	Passed
Fipronil	0.002	0.010	0.100	ND	Passed
Flonicamid	0.005	0.019	2.000	ND	Passed
Fludioxonil	0.005	0.010	3.000	ND	Passed



K'hari Leno  
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



# Certificate of Analysis

R&D

CMTL-0004  
ACT Laboratories (FL)  
4001 SW 47th Ave Suite 208, Davie, Florida  
8448228522  
kharil@actlab.com

Korasana d.b.a. ZPX, LLC FL  
Order No.: OFLKSA0415-0013365  
7980 SW 167th  
Florida, 33157  
mark@zeropointextraction.com  
6172566487

Sample: SFLKSA0415-ITIN-0004889  
Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units  
Batch#: MC51404  
MMTC Information  
Cultivation Facility: , Processing Facility:

ManaCann 1000mg CBD: 2000MG D8 Tincture  
Ingestible, Tincture



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Hexythiazox	0.005	0.019	2.000	ND	Passed
Imazalil	0.010	0.024	0.100	ND	Passed
Imidacloprid	0.024	0.119	3.000	ND	Passed
Kresoxim Methyl	0.005	0.010	1.000	ND	Passed
Malathion	0.019	0.048	2.000	ND	Passed
Mevinphos	0.009	0.021	0.100	ND	Passed
Metalaxyl	0.002	0.010	3.000	ND	Passed
Methiocarb	0.002	0.010	0.100	ND	Passed
Methomyl	0.002	0.010	0.100	ND	Passed
Myclobutanil	0.005	0.024	3.000	ND	Passed
Naled	0.019	0.024	0.500	ND	Passed
Oxamyl	0.002	0.010	0.500	ND	Passed
Paclobutrazol	0.002	0.010	0.100	ND	Passed
Permethrin	0.010	0.024	1.000	ND	Passed
Phosmet	0.005	0.024	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	3.000	ND	Passed
Prallethrin	0.010	0.024	0.400	ND	Passed
Propiconazole	0.010	0.024	1.000	ND	Passed
Propoxur	0.002	0.010	0.100	ND	Passed
Pyrethrins	0.032	0.063	1.000	ND	Passed
Pyridaben	0.002	0.010	3.000	ND	Passed
Spinetoram	0.007	0.017	3.000	ND	Passed
Spinosyn AD	0.010	0.040	3.000	ND	Passed
Spiromesifen	0.002	0.010	3.000	ND	Passed
Spirotetramat	0.005	0.024	3.000	ND	Passed
Spiroxamine	0.002	0.010	0.100	ND	Passed
Tebuconazole	0.010	0.024	1.000	ND	Passed
Thiacloprid	0.002	0.010	0.100	ND	Passed
Thiamethoxam	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	0.002	0.010	3.000	ND	Passed
Captan	0.010	0.100	3.000	ND	Passed
Methyl Parathion	0.010	0.020	0.100	ND	Passed
Chlordane	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	ND	Passed



K'hari Leno  
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.