

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497

2873 SW 33rd Ct

Florida, 33133

mark@zeropointextraction.com

6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units

Batch#: MC60617

COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Results

5,930 mg/unit

CBD

206 mg/unit

CBG

5,930 mg/unit

Total CBD

67.4 mg/unit

Total THC

6,280 mg/unit

Total Cannabinoids

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Not Tested
Water Activity Not Tested	Foreign Matter Not Tested	Homogeneity Not Tested
Terpenes Not Tested	Contaminant Load Not Tested	Residual Solvents Pass
Mycotoxins Not Tested	Heavy Metals Pass	Pesticides Pass
Kratom Not Tested	Label Claim Not Tested	



Certificate of Analysis

R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497
2873 SW 33rd Ct
Florida, 33133
mark@zeropointextraction.com
6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units
Batch#: MC60617

COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Cannabinoids

Sample Prep

Tech: 3358, 4521

SOP: SOP 801

Batch Number: WCNDFL-FL0718-0007533

Batch Date: 07/17/2026 20:49

Sample Analysis

Date/Time: 07/20/2026 17:55

Tech: 4521

SOP: SOP 801

Instrument: HPLC - 3013

Final Weight: 1.037 g

Dilution Factor for Sample: 1,040

Tested

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	0.01003	0.50154	0.116	1.16	33.0
CBDa	0.07623	0.50154	<0.00762	<0.0762	<2.17
CBGa	0.03772	0.50154	<0.00377	<0.0377	<1.07
CBG	0.08205	0.50154	0.725	7.25	206
CBD	0.13943	0.50154	20.9	209	5,930
THCV	0.03250	0.50154	<0.00325	<0.0325	<0.923
THCVa	0.02708	0.50154	<0.00271	<0.0271	<0.769
CBN	0.01475	0.50154	0.147	1.47	41.8
D8-THC	0.08436	0.50154	<0.00844	<0.0844	<2.40
D9-THC	0.07262	0.50154	0.237	2.37	67.4
CBC	0.05427	0.50154	0.0284 *	0.284 *	8.06 *
THCa	0.08285	0.50154	<0.00829	<0.0829	<2.35
CBCa	0.13752	0.50154	<0.0138	<0.138	<3.91
Total CBD			20.9	209	5,930
Total THC			0.237	2.37	67.4
Total Cannabinoids			22.1	221	6,280



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497
2873 SW 33rd Ct
Florida, 33133
mark@zeropointextraction.com
6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units
Batch#: MC60617
COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Residual Solvents

Sample Prep

Tech: 3358, 4521

SOP: SOP 405-FL

Batch Number: WRSVFL-FL0716-0007448

Batch Date: 07/16/2026 18:58

Sample Analysis

Date/Time: 07/17/2026 15:52

Tech: 4521

SOP: SOP 405-FL

Instrument: GCMS-HS - 3015

Final Weight: 0.108 g

Dilution Factor for Sample: 1

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0	2.0	<0.670	Passed
Acetone	2.0	20.0	750.0	3.00 *	Passed
Acetonitrile	2.0	20.0	60.0	3.11 *	Passed
Benzene	0.2	0.4	1.0	<0.200	Passed
Butane	10.0	20.0	5,000.0	<10.0	Passed
Chloroform	0.2	0.4	2.0	<0.200	Passed
Ethanol	20.0	40.0	5,000.0	<20.0	Passed
Ethyl Acetate	2.0	20.0	400.0	<2.00	Passed
Ethyl Ether	20.0	40.0	500.0	<20.0	Passed
Ethylene Oxide	0.7	2.0	5.0	<0.670	Passed
Heptane	20.0	40.0	5,000.0	<20.0	Passed
Hexanes	4.0	8.0	250.0	<4.00	Passed
Isopropyl Alcohol	20.0	40.0	500.0	<20.0	Passed
Methanol	20.0	40.0	250.0	<20.0	Passed
Methylene Chloride	20.0	40.0	125.0	<20.0	Passed
Pentanes	6.7	13.3	750.0	<6.67	Passed
Propane	2.0	20.0	5,000.0	<2.00	Passed
Toluene	2.0	20.0	150.0	<2.00	Passed
Trichloroethylene	1.0	2.0	25.0	<1.00	Passed
Total Xylenes			150.0	<5.00	Passed
1,1-Dichloroethene	0.7	2.0	8.0	<0.670	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497
2873 SW 33rd Ct
Florida, 33133
mark@zeropointextraction.com
6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units

Batch#: MC60617

COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:

Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Heavy Metals

Sample Prep

Tech: 4513

SOP: SOP 428-FL

Batch Number: WMTLFL-FL0716-0007444

Batch Date: 07/16/2026 18:13

Sample Analysis

Date/Time: 07/17/2026 14:34

Tech: 4521

SOP: SOP 428-FL

Instrument: ICP-MS - 2837

Final Weight: 0.232 g

Dilution Factor for Sample: 50

Pass

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	20.100	100.000	1,500.000	34.9 *	Passed
Cadmium	20.100	100.000	500.000	125	Passed
Mercury	20.100	100.000	3,000.000	<20.1	Passed
Lead	20.100	250.000	500.000	<20.1	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497
2873 SW 33rd Ct
Florida, 33133
mark@zeropointextraction.com
6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units
Batch#: MC60617

COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Pesticides

Sample Prep

Tech: 3358

SOP: SOP 424-FL

Batch Number: WPMCFL-FL0717-0007514

Batch Date: 07/17/2026 16:24

Sample Analysis

Date/Time: 07/20/2026 17:26

Tech: 4521

SOP: SOP 424-FL

Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3017

Final Weight: 0.623 g

Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Pass

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.009	0.022	0.300	<0.00866	Passed
Acephate	0.010	0.025	3.000	<0.00993	Passed
Acequinocyl	0.010	0.025	2.000	<0.00993	Passed
Acetamiprid	0.002	0.010	3.000	<0.00248	Passed
Aldicarb	0.005	0.020	0.100	<0.00497	Passed
Azoxystrobin	0.002	0.010	3.000	<0.00248	Passed
Bifenazate	0.002	0.010	3.000	<0.00248	Passed
Bifenthrin	0.010	0.025	0.500	<0.00993	Passed
Boscalid	0.012	0.050	3.000	<0.0124	Passed
Carbaryl	0.005	0.010	0.500	<0.00497	Passed
Carbofuran	0.002	0.010	0.100	<0.00248	Passed
Chlorantraniliprole	0.002	0.010	3.000	<0.00248	Passed
Chlorpyrifos	0.010	0.025	0.100	<0.00993	Passed
Clofentezine	0.010	0.025	0.500	<0.00993	Passed
Coumaphos	0.010	0.050	0.100	<0.0100	Passed
Cyfluthrin	0.010	0.100	1.000	<0.0100	Passed
Cypermethrin	0.010	0.100	1.000	<0.0100	Passed
Daminozide	0.010	0.025	0.100	<0.00993	Passed
Diazinon	0.002	0.010	0.200	<0.00248	Passed
Dichlorvos	0.010	0.025	0.100	<0.00993	Passed
Dimethoate	0.002	0.010	0.100	<0.00248	Passed
Dimethomorph	0.003	0.011	3.000	<0.00273	Passed
Ethoprophos	0.002	0.010	0.100	<0.00248	Passed
Etofenprox	0.002	0.010	0.100	<0.00248	Passed
Etoxazole	0.002	0.010	1.500	<0.00248	Passed
Fenhexamid	0.010	0.050	3.000	<0.00993	Passed
Fenoxycarb	0.002	0.010	0.100	<0.00248	Passed
Fenpyroximate	0.002	0.020	2.000	<0.00248	Passed
Fipronil	0.002	0.010	0.100	<0.00248	Passed
Flonicamid	0.005	0.020	2.000	<0.00497	Passed



Sean Santiago

Sean Santiago
Lab Manager



Certificate of Analysis

R&D

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Korasana d.b.a. ZPX, LLC FL

Order No.: OFLKSA0716-0015497
2873 SW 33rd Ct
Florida, 33133
mark@zeropointextraction.com
6172566487

Sample: SFLKSA0716-ITIN-0007857

Unit Weight: 28.4000g, Sample Size for Testing: 1.0000 Units
Batch#: MC60617
COA Expiration Date: 07/16/2027

MMTC Information

Cultivation Facility: , Processing Facility:
Sample Collection Facility:

ManaCann 6000mg CBD FS Tincture

Ingestible, Tincture

TOTAL UNITS IN BATCH:
units



Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Fludioxonil	0.005	0.010	3.000	<0.00497	Passed
Hexythiazox	0.005	0.020	2.000	<0.00497	Passed
Imazalil	0.010	0.025	0.100	<0.00993	Passed
Imidacloprid	0.025	0.124	3.000	<0.0248	Passed
Kresoxim MethyI	0.005	0.010	1.000	<0.00497	Passed
Malathion	0.020	0.050	2.000	<0.0199	Passed
Mevinphos	0.009	0.022	0.100	<0.00894	Passed
Metalaxyl	0.002	0.010	3.000	<0.00248	Passed
Methiocarb	0.002	0.010	0.100	<0.00248	Passed
Methomyl	0.002	0.010	0.100	<0.00248	Passed
Myclobutanil	0.005	0.025	3.000	<0.00497	Passed
Naled	0.020	0.025	0.500	<0.0199	Passed
Oxamyl	0.002	0.010	0.500	<0.00248	Passed
Paclobutrazol	0.002	0.010	0.100	<0.00248	Passed
Permethrin	0.010	0.025	1.000	<0.00993	Passed
Phosmet	0.005	0.025	0.200	<0.00497	Passed
Piperonyl Butoxide	0.002	0.010	3.000	<0.00248	Passed
Prallethrin	0.010	0.025	0.400	<0.00993	Passed
Propiconazole	0.010	0.025	1.000	<0.00993	Passed
Propoxur	0.002	0.010	0.100	<0.00248	Passed
Pyrethrins	0.033	0.066	1.000	<0.0330	Passed
Pyridaben	0.002	0.010	3.000	<0.00248	Passed
Spinetoram	0.007	0.018	3.000	<0.00710	Passed
Spinosyn AD	0.010	0.042	3.000	<0.00993	Passed
Spiromesifen	0.002	0.010	3.000	<0.00248	Passed
Spirotetramat	0.005	0.025	3.000	<0.00497	Passed
Spiroxamine	0.002	0.010	0.100	<0.00248	Passed
Tebuconazole	0.010	0.025	1.000	<0.00993	Passed
Thiacloprid	0.002	0.010	0.100	<0.00248	Passed
Thiamethoxam	0.002	0.010	1.000	<0.00248	Passed
Trifloxystrobin	0.002	0.010	3.000	<0.00248	Passed
Captan	0.010	0.100	3.000	<0.0100	Passed
Methyl Parathion	0.010	0.020	0.100	<0.0100	Passed
Chlordane	0.010	0.020	0.100	<0.0100	Passed
Chlorfenapyr	0.010	0.020	0.100	<0.0100	Passed
Chloromequat Chloride	0.002	0.010	3.000	<0.00248	Passed
Pentachloronitrobenzene	0.010	0.050	0.200	<0.0100	Passed



Sean Santiago

Sean Santiago
Lab Manager